

# Richtlijn Borstvoeding (2015, multidisciplinair)

## Referenties

1. Moore ER, Anderson GC, Bergman N. Early skin-to-skin contact for mothers and their healthy newborn infants. *Cochrane Database Syst Rev* 2007;(3):CD003519.
2. Cadwell K. Latching-on and suckling of the healthy term neonate: breastfeeding assessment. *J Midwifery Womens Health* 2007; 52(6):638-642.
3. Lawrence RA, Lawrence R. *Breastfeeding: a guide for the medical profession*. 6th edition. Philadelphia: Elsevier Mosby; 2005.
4. Mackie RI, Sghir A, Gaskins HR. Developmental microbial ecology of the neonatal gastrointestinal tract. *Am J Clin Nutr*. 1999 May;69(5):1035S-1045S.
5. Bramson L, Lee JW, Moore E, Montgomery S, Neish C, Bahjri K et al. Effect of early skin-to-skin mother--infant contact during the first 3 hours following birth on exclusive breastfeeding during the maternity hospital stay. *J Hum Lact* 2010; 26(2):130-137.
6. Ruys JH, Engelberts AC, van Velzen-Mol HWM. *Richtlijn: JGZ-richtlijn Preventie wiegendood*. NCJ. Utrecht, 2009.